SIBIT
CLEANING MACHINES
www.sibit.in

CLEAN SPACES.
BETTER PLACES.
STRONGER FUTURES.

PRODUCT CATALOG

BUILT FOR PERFORMANCE
ENGINEERED FOR RELIABILITY

PROFESSIONAL CLEANING MACHINES
FOR EVERY INDUSTRY



ADVANCED TECHNOLOGY | DURABLE & RELIABLE | ECO FRIENDLY | HIGH EFFICIENCY

SIBIT CLEANING MACHINES
Powerful Cleaning.
Professional Results.

www.sibit.in

SIBIT
— CLEANING MACHINES —
www.sibit.in

CLEAN SPACES.
BETTER PLACES.
STRONGER IMPACT.

At SIBIT, we understand the importance of cleanliness in every space, be it a bustling office, a pristine hotel room, or a busy hospital corridor. Our commitment revolves around **convenience, durability, and consistency,** ensuring your environment is not just clean but speaks volumes about your organization.



COMPLETE CLEANING SOLUTIONS

We go beyond offering products; we provide comprehensive cleaning systems tailored to your needs. Our solutions address your cleaning challenges and offer the best results at unbeatable value.

COMPLETE SOLUTIONS
End-to-end cleaning systems for every need.

RELIABLE & DURABLE
Built to last, engineered for daily performance.

EASY TO USE
User-friendly equipment empowers your staff for effective cleaning.

BEST RESULTS GREAT VALUE
High performance at unbeatable value.

TECHNOLOGY FOR

FASTER CLEANING, BETTER WORKSPACES.



POWERFUL CLEANING.
PROFESSIONAL RESULTS.

WET AND DRY VACUUM CLEANER



HL 15
Wet and Dry
Vacuum Cleaner



HL 30
Wet and Dry
Vacuum Cleaner



HL 60-2
Wet and Dry
Vacuum Cleaner



HL 80-3
Wet and Dry
Vacuum Cleaner

Model No.	HL 15	HL 30	HL 60-2	HL 80-3
Function	Wet and Dry	Wet and Dry	Wet and Dry	Wet and Dry
Capacity	15 Liter	30 Liter	60 Liter	80 Liter
Power	1000W	1000W	2000W	3000W
Voltage	220-240V	220-240V	220-240V	220-240V
Height	55 CM	76 CM	90 CM	100 CM
Tank Dia	345 mm	345 mm	440 mm	440 mm
Air Flow	48 L/s	53 L/s	106 L/s	159 L/s
Cacuum Suction	210 m/bar	230 m/bar	250 m/bar	250 m/bar
Cable Length	7 M	7 M	8 M	8 M
Hose Dia	36 mm	36 mm	40 mm	40 mm
Weight	11.5 kg	13 kg	27 kg	30 Kg

UPHOLSTERY CLEANING MACHINE



WC20
2 in 1 Upholstery cleaning machine



WC20SF
3 in 1 Upholstery cleaning machine



WC40
2 in 1 Upholstery cleaning machine



WC40SF
3 in 1 Upholstery cleaning machine

Model No.	WC20	WC20SF	WC40	WC40SF
Function	Carpet Cleaner	Carpet Cleaner	Carpet Cleaner	Carpet Cleaner
Capacity	20L	20L	20L	40L
Clean Water Capacity	10L	10L	10L	10L
Power	1034W	1079	1034W	1079
Voltage	220V-240V	220V	220V-240V	220V
Power of Water Pump	34W	34W	34W	34W
Power of Vacuum Motor	1000W	1000W	1000W	1000W
Height	890mm	890mm	890mm	890mm
Air Flow Rate	53L/S	53L/S	53L/S	53L/S
Vacuum Suction	230 mbar	230 mbar	230 mbar	230 mbar
Length of the Cable	7 M	7 M	7 M	7 M
Net Weight	17.4 kg	28.5 kg	24.5 kg	32.5 kg
Pressures	87 PSI	87 PSI	87 PSI	87 PSI
Grinding Head Voltage	-	12V	-	12V
Grinding Head Motor	-	45W	-	45W

INDUSTRIAL VACUUM CLEANERS





Star Filter



Powerful Turbine Blower



Pressure Gauge



Tangential Inlet



Brake Wheels



Phase reversal switch





IVC 1550
IVC 3060

IVC 1550 / IVC 3060

IVC SMALL EXTENSION PIPES

- Powerful single phase (IVC 1550) or 3-phase (IVC 3060) single stage turbine motor for suction which can be used in all places
- Motor mounted on top for compact design
- Designed for heavy duty & long hours of continuous usage
- Wide range of tools & accessories to choose as per vacuuming application
- Star shaped filter enables High filtration area
- Mechanical filter ehaker for ease of operator
- Quick tank release for faster disposal
- Sight Glass to allow operator to check level of waste collected in collection tank
- Tangential inlet made of Die cast Aluminium
- Basket for easy placement of accessories
- Available in Stainless Steel Tanks version also



IVC 4080

IVC 4080/ IVC 55120

- Powerful single stage 3-phase motor with blower assembly for suction which can be used in all places
- Designed for heavy duty & long hours of continuous usage
- Wide range of tools & accessories to choose as per vacuuming application
- Star shaped filter enables High filtration area
- Mechanical filter shaker for ease of operator
- Quick tank release for faster disposal
- Sight Glass to allow operator to check level of waste collected in collection tank
- Tangential inlet made of Die cast Aluminium
- Basket for easy placement of accessories

IVC 55120

Model	Max Power (kW/HP)	Supply (Volt.)	Air Flow (m^3/hr)	Suction (mmH_2O)	Tank Capacity (L)	Tank Material	Noise (dB)	Filter Surface (cm^2)
IVC 1550	1.5 / 2.0	230 V/ 50 Hz	210	2050	50	MS/SS	64	18000
IVC 3060	3.0 / 4.0	400 V/ 50 Hz	320	2950	60	MS/SS	69	19500
IVC 4080	4.0 / 5.3	400 V/ 50 Hz	420	3160	80	MS/SS	70	25000
IVC 55120	5.5 / 7.5	400 V/ 50 Hz	530	3250	120	MS/SS	70	27000

THREE- IN -ONE AUTOMATIC CARPET CLEANING MACHINE

Featuring a modern, space-saving design, this Three in One Automatic Carpet Cleaning Machine offers unparalleled convenience and versatility. With its quick disassembly and assembly of the portable water sucker, maintenance is a breeze. The addition of a clean lter inside the nozzle ensures no clogging, allowing for seamless operation.



Technical Data

Model.no	WCE-3035
Voltage/frequency	220V/50Hz
Power	2320W
Roll brush speed	1400rpm/min
Roll brush motor	220V/180W
Roll brush width	400mm
Water sucking motor	220V/1000W
Water suker	460mm
Clean water tank capacity	30L
Dirty water tank capacity	35L
Cable	18M
Net weight	46.2KG
Gross weight	65KG
Size	1110 X 550 X 1050 MM

Three in One


Spraying water


Washing


Absorbing water

Speci cation


Sweage Equips with Full Water Device


Imported Suction Motor X 2


Rolling Brush


Water Sucker



CARPET DRIER
WD-900



HAND SCRUBBER
MACHINE WG-1800



2 in 1 Foam Generator
Cum Water Tank WF-18

CARPET DRIER

Model No.	Power	Voltage	Rotation Speed	Air Flow Rte	Length Of The Cable	Net Weight	Packing
WD-900	900W	220-240V	high medium low	160m3/min	7m	16.6kg	IPC 57 X 42 X 56cm

HAND SCRUBBER

Model No.	Voltage / Frequency	Power	Brush Speed	Disc Size
WG-1800	220-50Hz	1050 W	1000 - 1800 RPM	1210 X 710 X 540 mm

FOAM GENERATOR

Model No.	Power	Voltage	Tank	Weight	Size
WF - 18	80 W	220 V - 50 Hz	5 Ltrs	8 Kgs	300 X 260 X 235 mm



STEAM CLEANER
WS - SK4



Escalator Cleaning
Machine WEC-450



Backpack Vacuum
Cleaner WBV-5

STEAM CLEANER

Model No.	Steam Pressure	Max Steam Temp	Motor	Voltage / Frequency	Weight	Tank	Size
WS-SK4	4 bar	145 Degree Celcius	2000 W	204 V / 50 Hz	8 kg	5 ltr	47.5 X 32.5 X 34 CM

ESCALATOR CLEANING MACHINE

Model No.	Voltage	Power	Operating Width	Dry Motor	Roll Brush Motor	Capacity	Cable	Weight
WEC-450	220 - 240V/50Hz	1800 W	450 mm	220 V / 1000 W	24V/180W	20 ltr	12 m	38 kg

BACKPACK VACUUM CLEANER WBV-5

Model No.	Controller Type	Control Method	Item Weight	Capacity	Size
WF - 18	Push Button	Touch	8.91 kg	3.6 Quarts	33 x 33 x 58.4 cm

HIGH PRESSURE WASHERS



PW-6



PW-7




PW-8




Pressure Gun | Gun Extension | Hose Clamp | Water Filter | Hose Connector | Inlet Filter | Foam Bottle | Braided Pipe 1.8m | 7m Hydraulic Hose Pipe





Medium Speed for regular cleaning



Jet Speed for detailed cleaning



Model No.	Max Pressure (bar/psi)	Theoretical Flow (L/min)	Motive Power (KW)	Power Supply (V)	Rotating Speed (RPM)	G.W (Kgs)	Carton Dimension	Ctn/ Qty	MRP
M-PW-6	150bar	12L/min	1.3/1.5KW	220V	2800RPM	12 kgs	40x27x30cm	1	11,999/-
M-PW-7	150bar	12L/min	1.3/1.5KW	220V	2800RPM	12 kgs	40x27x30cm	1	9,999/-
M-PW-8	120bar	10L/min	1.3/1.5KW	220V	2800RPM	11 kgs	40x27x30cm	1	14,500/-

COMMERCIAL HIGH PRESSURE WASHERS



M-PW-2100

- **Inline Ground Fault Circuit Interrupter (GFCI)**
  It detects electrical leakage and automatically cuts off the power supply within milliseconds, ensuring enhanced user safety and protection.

M–PW–2100 & M–PW–2100N





M-PW-2100N



4pc Nozzles



Inlet Filter

Intelligent Control Device Unit



The machine is equipped with an Intelligent Control Device Unit. This unit allows the machine to operate in both Auto and Manual modes. It also provides smart indications for:

- Current leakage
- Insufficient water supply
- Low oil level



M-PW-2500+



M-PW-3600-3



Braided Pipe 1.8m



9m Hydraulic Hose Pipe



Pressure Gun



Gun Extension

Model No.	Max Pressure (bar/psi)	Theoretical Flow (L/min)	Motive Power (KW)	Rated Power	Rotating Speed (RPM)	Horse Power	Phase	N.W (Kgs)	Carton Dimension	Ctn/ Qty	MRP
M-PW-2100	150bar/ 2176psi	13L/min	1.8KW	1800W/ 220V 50/60Hz	2800RPM	3hp	Single Phase	28 kgs	625x435x440mm	1	45,000/-
M-PW-2100N	150bar/ 2176psi	13L/min	1.8KW	1800W/ 220V 50/60Hz	2800RPM	3hp	Single Phase	28 kgs	625x435x440mm	1	60,000/-
M-PW-2500+	150bar/ 2175psi	15L/min	2.2KW	2200W/ 220V 50/60Hz	1450RPM	3.5Hp	Single Phase	41 kgs	725x380x530mm	1	81,999/-
M-PW-3600-3	150bar/ 2200psi	14.5L/min	4.0KW	380V	1400RPM	3hp	Single Phase	60 kgs	750x380x520mm	1	1,15,000/-

SINGLE DISC SCUBBER MACHINE/POLISHER - BUTTERFLY BODY



Technical Data

Model No	WSD 1100	WSD 1500
Voltage - V	220 V	220 V
Power - W	1100 W	1500 W
Speed (RPM/Min) Cable	154 RPM	154 RPM
Length	12 Mtr	12 Mtr
Base Plate Dia	17 Inch	17 Inch
Net Weight	48 Kg	48 Kg
Handle Packing Size	375 x 126 x 113 mm	375 x 126 x 113 mm
Main Body Packing Size	540 x 440 x 365 mm	540 x 440 x 365 mm

Accessories



Soft Brush



Hard Brush



Pad Brush



SINGLE DISC SCUBBER MACHINE/POLISHER - METAL BODY

Technical Data

Model No.	WSD 15	WSD 20
Voltage - V	220 V	220 V
Power - W	1100 W	1500 W
Speed (RPM/Min)	175 RPM	175 RPM
Cable Length	15 Mtr	15 Mtr
Base Plate Dia	17 Inch	17 Inch
Net Weight	50 Kg	54 Kg
Handle Packing Size	375 x 126 x 113 mm	375 x 126 x 113 mm
Main Body Packing Size	540 x 440 x 365 mm	540 x 440 x 365 mm

Accessories



Soft Brush



Hard Brush



Pad Brush


POLISHING MACHINE



WP 250 (2.5 HP)

TECHNICAL DATA	
Base Plate	18" - 2.5 hp
Diameter Power	1850 W
Voltage	220 V

TECHNICAL DATA	
Speed	175 rpm
Main Cable Length	12 mtr
Weight	68 kgs



WP 300 (3.0HP)

TECHNICAL DATA	
Base Plate Diameter	20" - 3 hp
Power	2250 W
Voltage	220 V

TECHNICAL DATA	
Speed	175 rpm
Main Cable Length	12 mtr
Weight	80- kgs









SCRUBBER DRIER MACHINE COMPACT

Technical Data

Model No.	CRSD 5.4 B
Operating Voltage	24V
Work Efficiency	1200M2/H
Brush	230 mm x2
Brush Speed	258 RPM
Solution Tank Capacity	7 L
Dirty Tank Capacity	10L
Working Time	90min
Charging Time	90 min
Water Absorption	600 0mm
Width Noise Brush	70db
Motor Product	550W
Weight	20kg





SCRUBBER DRIER MACHINE WD-25C

Technical Data

Model No.	WD-25C
Voltage	220V
Cleaning Width	430mm
Water Sucker Width Water	530mm
Sucking Motor Floor Motor	500W
Power	550W
Brush Rotation Speed	140rpm
Cleaning Rate	1200M2/h
Clean Water Tank Capacity	15Liter
Dirty Water tank Capacity	15Liter
Cable	18m

POWER MOTOR | LARGE WATER TANK | HUMANIZED CONTROL | LONG BATTERY LIFE

SCRUBBER DRIER MACHINE T30

TECHNICAL DATA

Voltage Frequency	230v/50Hz
Water Sucker	855 mm
Brush Diameter	550mm
Rolling Brush Motor	1000 W
Water sucking Motor	1000 W
Brush Rotation Speed	154 RPM/MIN 550
Cleaning Width	mm
Cleaning Rate	1680sqmtr/Hr
Brush Pressure	40 Kg
Clean Water Tank	30L
Dirty Water Tank	35 L
Cable	18 M
Net Weight	75.6 Kg
Gross Weight	98.54Kg
Dimensions	965x615x1020 mm
Color	Blue | Grey





SCRUBBER DRIER MACHINE- B40

TECHNICAL DATA

Model	WB40
Working E ciency	1870 m^2/h
Max Gradeability	10°
Squeegee Width	720 mm
Brush Width	460 mm
Turning Radius	500 mm
Suction Motor	450 W
Brush Motor	380 W
Battery	DC 12V/80Ah
Working Time	2-3 h
Chargin Time	3-6 h
Clean Water Tank Capacity	36L
Sewage Tank Capacity	40L
Noise Level	60dB
Dimensions	1000 X 500 X 1000 mm
Weight (Only Machine)	85 kg

HEAVY DUTY SCRUBBER DRIER MACHINE CA50/ B50

CATEGORY	CABLE	BATTERY OPERATED
Model	CA-50	WD-50 B
Battery (Free Maintenance)	-	24v/100Ah
Charger	-	25v/15A
Vacuum Motor W (hp)	600W (0.8hp)	450W (0.6hp)
Brush Motor W (hp)	550W (0.74hp)	550W (0.74hp)
Min. Aisle Turn (mm)	650mm	650mm
Brush Size "inch"	490mm/18"	490mm/18"
Squeegee Width mm ("inch)	830mm	830mm
Max. Coverage per Hrs. (m^2/h)	1750m^2/h	2350
Solution Tank Capacity L (Gal)	50L (13.2 gal)	50L (13.2 gal)
Recovery Tank Capacity L (Gal)	55L (14.5 gal)	55L (14.5 gal)
Continuous Operating Time (h)	-	3-4h
Charging Time (h)	-	6-8h
Operating Weight (inc. battery)	-	138kg
Operating size mm Packing	1220 X 830 X 950	1220 X 830 X 950
	Wood Pallet + Carton	Wood Pallet + Carton



Humanized Control

Long Battery Life



Power Motor

Large Water Tank

Humanized Control

Long Battery Life

HEAVY DUTY SCRUBBER DRIER MACHINE B60

CATEGORY	BATTERY OPERATED
Cleaning Width	500
Squeegee with	825
Continuous running time	2-3
Theoretical cleaning efficiency	2800
Battery capacity	24V / 100AH
Suction motor power	500
Brush motor power	550
Driving motor power	-
Solution tank capacity	55
Recovery tank capacity	60
Total weight	158
Product size	1200*825*1000

SCRUBBER DRIER MACHINE WD 70



Power Motor

Large Water Tank

Humanized Control

Long Battery Life

TECHNICAL DATA

	Model	WD - 70		Max. Coverage per hour (m^2/h)	2650
	Battery (Free Maintanance)	24v/100A		Solution Tank Capacity (Gal)	62L (16.4Gal)
	Charger	24v/15A		Recovery Tank Capacity L (Gal)	67L (17.7Gal)
	Drive Motor W (HP)	300W (0.4hp)		Continious Operating Time (h)	3-4h
	Vacuum Motor W (HP)	450W (0.6hp)		Charging Time (h)	6-8h
	Brush Motor W (HP)	550W (0.74hp)		Operating Weight (inc. battery)	151 kg
	Min. Aisle Turn (mm)	700mm		Operating Size mm	1300 x 830 x 1125
	Cleaning Path mm (Brush Size Inch)	510mm / 19"		Packing	Wood Pallet + Carton
	Squeegee Width mm (inch)	830mm			

RIDE ON FLOOR SCRUBBER - G9



- The simplified operation panel is simple and easy to use. The compact body and the small turning radius can easily clean small spaces
- 15kg brush plate ground pressure can powerfully remove floor stains
- The fully rotational molded chassis without sheet metal is resistant to corrosion, dirt and rust
- Double-layer rotational molded sound insulation base to reduce operating noise
- 6.5mm water tank wall top quality brand in the industry, having strong negative pressure resistance power

TECHNICAL DATA

Model	WD-75
Battery (Free maintenance)	24V/120A
Charge	24V/15A
Drive motor W (hp)	400W(0.4hp)
Vacuum motor W (hp)	450W(0.6hp)
Brush motor W (hp)	400W(0.54hp) X 2
Min. aisle turn (mm)	1150mm
Cleaning path mm (brush size inch)	360mm/13"*2
Squeegee width mm (inch)	920mm

TECHNICAL DATA

Max. coverage per hour (m²/h)	4300
Gradeability %	25
Solution tank capacity L (Gal)	75L (18.5Gal)
Recovery tank capacity L (Gal)	80L (20gal)
Continuous operating time (h)	3–4h
Charging time (h)	6–8h
Operating weight (inc.battery)	220kg
Operating size mm	1300*920*1140
Packing	Metal pallet+frame+polywood

FUNCTION DESCRIPTION



WIDE APPLICATION



EASY OPERATION | ANTI-CORROSION BODY | LOW NOISE DESIGN | STRONG CLEANING PERFORMANCE | LONG OPERATING TIME

RIDE ON FLOOR SCRUBBER - B 80



The rotating brush plate pressure adjustment button can handle clearing on different floors.

The front anti-collision guide wheel will protect the brush plate and the machine.

The rubber strip is made of natural rubber, which is tear resistant.

TECHNICAL DATA

Model	WD80
Battery (Free Maintenance)	24V/120A
Charger	24V/15A
Drive Motor W (hp)	400W(0.54hp)
Vacuum Motor W (hp)	500W(0.67hp)
Brush Motor W (hp)	400W(0.54hp) X 2
Min. Aisle Turn (mm)	1200mm
Cleaning Path mm (Brush Size "inch)	360mm/13"X2
Squeegee Width mm ("inch)	920mm

TECHNICAL DATA

Max. Coverage per Hrs. (m²/h)	4300
Gradeability %	20
Solution Tank Capacity L (Gal)	85L (22.5Gal)
Recovery Tank Capacity L (Gal)	90L (24Gal)
Continuous Operating Time (h)	3–4h
Charging Time (h)	6–8h
Operating Weight (inc. battery)	238kg
Operating size mm	1370 X 920 X 1230
Packing	Metal Pallet + frame + Plywood

WIDE APPLICATION



FUNCTION DESCRIPTION



ADJUSTABLE BRUSH PRESSURE | ANTI-COLLISION PROTECTION | TEAR RESISTANT RUBBER STRIP | STRONG SUCTION POWER | LONG OPERATING TIME

RIDE ON FLOOR SCRUBBER - B100

- The simplified operation panel is simple and easy to use.
- The compact body and the small turning radius can easily clean small spaces.
- 15kg brush plate ground pressure can powerfully remove floor stains.
- The fully rotational molded chassis without sheet metal is resistant to corrosion, dirt and rust.
- Double-layer rotational molded sound insulation base to reduce operating noise.



TECHNICAL DATA

Model	WD-100
Battery (Free Maintenance)	24v/150AH
Charger	24v/20A
Drive Motor W (hp)	400W (0.54hp)
Vacuum Motor W (hp)	550W (0.74hp)
Brush Motor W (hp)	400W (0.54hp) X2
Min. Aisle Turn (mm)	1300mm
Cleaning Path mm (Brush Size "inch")	380mm / 14 X2
Squeegee Width mm ("inch")	1000mm

TECHNICAL DATA

Max. Coverage per Hrs. (m²/h)	4600
Gradeability %	25
Solution Tank Capacity L (Gal)	100L (26.4Gal)
Recovery Tank Capacity L (Gal)	115L (30.4Gal)
Continuous Operating Time (h)	3–4h
Charging Time (h)	6–8h
Operating Weight (inc. battery)	266kg
Operating size mm	1430 X 1000 X 1280
Packing	Metal Pallet + Frame + Plywood

FUNCTION DESCRIPTION



WIDE APPLICATION



EASY OPERATION | ANTI-COLLISION PROTECTION | LOW NOISE DESIGN | STRONG BRUSH PRESSURE | LONG BATTERY LIFE

RIDE ON FLOOR SCRUBBER B180



- Front driving motor from internationally famous brand, with small turning radius and strong climbing ability
- Double magnetic brush plates which are more convenient to disassemble/install and more user-friendly
- The extra-large solution/recovery tanks can avoid frequently adding clean water and dumping sewage
- The curved rib design of the water tanks will enhance the services life of the entire machine
- ECO mode reduce the power and noise of the suction motor

TECHNICAL DATA

Model	WD-160
Battery (free maintenance)	24V/200AH
Charge	24V/25A
Drive motor W (hp)	650W (0.87hp)
Vacuum motor W (hp)	600W (0.8hp)
Brush motor W (hp)	550W (0.74hp)
Min. aisle turn (mm)	1300mm
Cleaning path mm (brush size inch)	460mm/17"X2
Squeegee width mm (inch)	1200mm

TECHNICAL DATA

Max. coverage per hour (m^2/h)	6500
Gradeability %	20
Solution tank capacity L (Gal)	160L (42gal)
Recovery tank capacity L (Gal)	180L (47.5gal)
Continuous operating time (h)	3–4.5h
Charging time (h)	6–8h
Operating weight (inc. battery)	412kg
Operating size mm	1650*1200*1490
Packing	Metal pallet+frame+polywood

WIDE APPLICATION



FUNCTION DESCRIPTION



SMALL TURNING RADIUS | STRONG CLIMBING ABILITY | EASY MAINTENANCE | LARGE CAPACITY TANKS | ECO MODE LOW NOISE



TRICYCLE ELECTRIC MOPPING SCOOTER - WM-900

500W SUPER POWER | **LONGER** WORKING TIME | **HIGH** EFFICIENCY | **EASY** OPERATION

The design is reasonable, delicate and humanized, the meter switch is within reach, the operation is simple, the front and rear mop is the market standard size, can be replaced different size.

500W super power long working time and high efficiency.

Four battery packs, working longer time.

Easy to clean marble, granite, PVC, artificial stone, tile, epoxy and other ground, Widely used in large shopping malls, supermarkets, workshops, warehouses and other large areas of cleaning operations, Remarkable cleaning effect, great saving of manpower and material resources.

TECHNICAL DATA

Dimension	1650 X 900 X 1150 mm
Total Weight	90 kg
Tire	10" Pneumatic Tire
Mop Width	900 mm (Standard) / 600,1100mm (Replaceable)
Max Forward Speed	10 Km/h
Max Backward Speed	6 Km/h
Endurance Mileage	50 Km
Max Load Weight	150 Kg

TECHNICAL DATA

Driving Motor Power	500 W DC Motor
Battery Model Min	4 X 12 V 20 AH
Turning Radius Max	1200 mm
Gradeability Obstacle	15°
Crossing Height Brake	110 mm
System Charge Charging	Mechanical Cable Brake
Time Full Power	48V/3A
Working Time	8-12h >5h



POWERFUL CLEANING | LONGER WORKING TIME | STRONG & DURABLE CONSTRUCTION | EASY TO OPERATE & MAINTAIN | COST EFFECTIVE PERFORMANCE



MANUAL SWEEPER MACHINE
WS-920

TECHNICAL DATA

Cleaning Capacity	3850 m²/H
Sweeping Path Side Brush	920 mm
Capacity of dirt container	50 ltr
Main brush motor Fan	2*350 mm
Dimension (L x W x H)	1250 x 920 x 1050 mm
Sweeping Path Main Brush	800 mm
Width Battery Filter Side	800 mm
Broom Quantity Water	1.5 m²
Container Weight	25 kg

ELECTRIC WALK BEHIND SWEEPER
WS-45L

TECHNICAL DATA

Cleaning Capacity	4800 m²/H
Sweeping Path	1060mm
Side Brush	2X280 mm
Capacity of dirt Container	45L
Main Brush Motor	300W
Fan	50W
Dimension (LxWxH)	1100x978x950mm
Working Time	4-6 Hrs
Main Brush Width	500 mm
Battery	48V/≥20ah
Filter	2.6m²
Side Broom Quantity	2x90W
Water Container	40L (Optional)
Weight With Battery	95kg





EFFICIENT FILTER SYSTEM



SIDE BRUSH



LARGE DIRT CONTAINER

POWERFUL PERFORMANCE | LONGER WORKING TIME | EFFECTIVE CLEANING | LARGE CAPACITY DUST CONTAINER | EASY TO USE & MAINTAIN

MINI RIDE ON SWEEPER - WS 1200

TECHNICAL DATA

Model	WS-1200
Battery (Free Maintenance)	48v/58Ah
Charger	24v/8A
Drive Motor W	800W
Vacuum Motor W	500W
Cylindrical Brush Motor W	750W
Side Brush Motor W	90W X 2
Min. Aisle Turn (mm)	1500mm
Cleaning Path mm	1250 mm
Cylindrical brush width mm	⌀ 300*500mm
Side brush width (mm)	⌀ 460 mm/500
Max.coverage per hour (m^2/h)	5280 m^2/h
Water tank capacity	28L
Debris hopper capacity	85L
Continuous operating time(h)	2-3h
Charging Time (h)	8-10h
Operating Weight (inc. battery)	339kg
Operating Size mm	1550 X 1250 X 1250mm





FRONT VIEW



REAR SIDE VIEW

RIDE ON SWEEPER WS-1450



TECHNICAL DATA

Model	WS-1400
Battery (Free Maintenance)	48v/80Ah
Charger	24v/15A
Drive Motor W	1000W
Vacuum Motor W	500W
Cylindrial Brush Motor W	850W
Side Brush Motor W	90W*2
Min. aisle turn (mm)	1500mm
Cleaning Path (mm)	1450 mm
Cylindrical Brush Width	300*700mm ⌀
Side Brush Width (mm)	500mm
Max. Coverage Per Hour (m^2/h)	5900 m^2/h
Water Tank Capacity (L)	1500L
Debris Hopper Capacity (L)	250L
Gradeability (%)	25%
Charging Time (h)	8-10h
Operating Weight (inc. battery)	465kg
Operating Size (mm)	1700*1400*1250mm (Top Cover) 1700*1400*2050mm



REAR VIEW



FRONT VIEW

POWERFUL VACUUM SYSTEM | HIGH CLEANING EFFICIENCY | LARGE DUSTBIN CAPACITY | LONG BATTERY WORKING TIME | EASY TO OPERATE & MAINTAIN

ELECTRIC RIDE ON SWEEPER

WB2300

Our WB 2300 Ride on Sweeper powers through large areas with ease. This ride-on sweeper features a massive 300-litre tank capacity, delivering longer cleaning cycles, fewer refills, and high-efficiency performance for warehouses, factories, parking lots, and large facilities.




ELECTRIC POWER | 300L TANK CAPACITY | HIGH EFFICIENCY | RELIABLE & DURABLE



MIST SPRAYER



FRONT DUAL BRUSH



WAREHOUSES



FACTORIES



PARKING LOTS



LARGE FACILITIES

TECHNICAL DATA (PERFORMANCE)

Width (Included Brush)	—
Cylindrical brush width	800 mm
Side brush width	700 mm*2+500 mm*2
Continuous work time	6 – 8hrs
Voltage	48 V
Clean water tank capacity	500 L
Waste Hopper Capacity	250L
Total Power	8080 W
Vacuum Motor	550 W*4
Drive motor	3000 W
Productivity	20000m²/h
Work Speed	≤20 km/h

TECHNICAL DATA (SPECS)

Filter Surface	5m²
Main Brush Length	700 x 305 mm
Side Brush's Diameter	500 mm
Driving Speed	0–20km/h
Reverse camera	7.2" HD screen + HD Camera
High pressure hose length	10m
High pressure pump power	1500 W
Working Pressure	≤13kpa
Working flow rate	≤10 L / min
Fog cannon range	≤8m
Size	3700*2500*2150mm

LARGE 300L TANK | LONGER CLEANING CYCLES | LOW MAINTENANCE | ECO-FRIENDLY ZERO EMISSIONS | IDEAL FOR LARGE AREAS

ELECTRIC RIDE ON SUCTION SWEEPER MACHINE

Our Ride on Suction Sweeper machine powers through large areas with ease. This ride-on sweeper features a massive 900 – 1200 litre Garbage Bin capacity, delivering longer cleaning cycles, fewer refills, and high-efficiency performance for warehouses, factories, parking lots, and large facilities.



- ELECTRIC POWER
- 900 – 1200 L GARBAGE BIN
- LONGER CLEANING CYCLES
- HIGH EFFICIENCY
- DURABLE & RELIABLE
- LOW MAINTENANCE



POWERFUL SIDE BRUSHES
Dual side brushes ensure effective cleaning of edges and corners.



STRONG SUCTION SYSTEM
High-performance vacuum system for dust-free and cleaner results.



COMFORTABLE CAB
Ergonomic design with wide view and easy-to-use controls.



LARGE GARBAGE BIN
900 – 1200 L capacity for longer operation and fewer refills.



SAFETY FIRST
Warning lights, reverse camera and wide visibility for safer operation.

TECHNICAL DATA (DIMENSIONS & PERFORMANCE)

Overall dimensions (LxWxH)	3500 x 2200 x 2100 mm
Wheel Base	930 mm
Wheel track	1620 mm
Ground Clearance	100 mm
Net Weight	1050 Kg
Maximum Speed	25 km/h
Working Speed	12 km/h
Front Brush Diameter	700 mm
Middle Brush Diameter	600 mm
Operating Time	4 – 6 Hr
Cleaning Width	2200 mm

TECHNICAL DATA (SYSTEM & SPECIFICATIONS)

Battery	60 V 300 ah
Charging Time	6 – 8 Hrs
Suction Cup width	800 mm
Fan DC Brushless	60V 500 Watt
Tires	135/70 R12
High pressure hose length	10 m
High pressure pump power	1500 W
Working Pressure	≤13kpa
Working flow rate	≤10 L / min
Fog cannon range	≤8m
Rear Discharge	—
Nozzle	1000 mm

POWERFUL SUCTION | LARGE CAPACITY | LONGER RUN TIME | WIDE CLEANING WIDTH | SAFE & RELIABLE | EASY TO OPERATE & MAINTAIN

TROLLEYS AND OTHER TOOLS

Durable. Reliable. Built for Every Cleaning Need.

A wide range of high-quality trolleys and cleaning tools designed for efficiency, convenience and long-lasting performance.



BUILT FOR PROFESSIONALS

STRONG & DURABLE
Built with premium materials for long-lasting use.

EASY TO USE
Ergonomic design for effortless handling.

MULTI-PURPOSE
Suitable for various cleaning tasks and applications.

PROFESSIONAL QUALITY
Trusted by cleaning professionals everywhere.

OUR RANGE


MOPPING TROLLEYS


HOUSEKEEPING TROLLEYS


UTILITY TROLLEYS


LINEN TROLLEYS



SAFETY SIGNS


CLEANING TOOLS

QUALITY YOU CAN TRUST
Tools that deliver performance and make cleaning easier.

MADE FOR EVERY SPACE
Ideal for offices, hospitals, hotels, industries and more.

WRINGER BUCKETS



THREE BUCKET TROLLEY WITH STEEL FRAME
Bucket Capacity - 20Lt.



THREE BUCKET TROLLEY WITH PLASTIC FRAME
Bucket Capacity - 20Lt.



DOUBLE BUCKET TROLLEY WITH PLASTIC FRAME
Bucket Capacity - 20Lt.
Wringer - side press



DOUBLE BUCKET TROLLEY WITH PLASTIC FRAME
Bucket Capacity - 20Lt.
Wringer - down press



SINGLE BUCKET TROLLEY, 20 Lt.
Colours Available -
Red, Blue, Green & Yellow



20 Lt. BUCKET



CASTER BUCKET



DOWN PRESS WRINGER



SIDE PRESS WRINGER


DURABLE CONSTRUCTION | EASY TO USE & MAINTAIN | SMOOTH MOBILITY | CHEMICAL RESISTANT | HYGIENIC & EFFICIENT

DRY MOPPING SYSTEM

DUSTIE DRY MOPPING FRAMES

Conventional flat dry mopping frames with foldable stainless steel arms. Foldable design for easy mop replacement. Swivel joint with 360 degree movement for easy operations.

Available in 40 cm | 45 cm | 60 cm | 80 cm



MAKE IN INDIA

C.N.	PRODUCT NAME	SIZE	MATERIAL
KDF40	Kibble Dustie Frame 40	40 cm	PP Frame with SS Arms
KDF45	Kibble Dustie Frame 45	45 cm	PP Frame with SS Arms
KDF60	Kibble Dustie Frame 60	60 cm	PP Frame with SS Arms
KDF80	Kibble Dustie Frame 80	80 cm	PP Frame with SS Arms

DUSTIE DRY MOP ACRYLIC REGULAR

Dustie dry mop acrylic regular, with cotton backing. Pocket style mop for easy mop replacement. Available in 45 cm | 60 cm | 80 cm



C.N.	PRODUCT NAME	SIZE
KDR45-AR	Kibble Dustie Acrylic Regular 45	45 cm
KDR60-AR	Kibble Dustie Acrylic Regular 60	60 cm
KDR80-AR	Kibble Dustie Acrylic Regular 80	80 cm

Limited Launderability
Upto 90 Launderings

DUSTIE DRY MOP MICROFIBER DUAL

Dustie dry mop microfiber with microfiber backing. Pocket style mop for easy mop replacement. Dual mop for dry & damp mopping. Available in 40 cm | 60 cm | 80 cm



C.N.	PRODUCT NAME	SIZE
KDR40-DM	Kibble Dustie Microfiber Dual 40	40 cm
KDR60-DM	Kibble Dustie Microfiber Dual 60	60 cm
KDR80-DM	Kibble Dustie Microfiber Dual 80	80 cm

Limited Launderability
Upto 90 Launderings

DUSTIE DRY MOP MICROFIBER

Dustie dry mop microfiber with microfiber backing. Pocket style mop for easy mop replacement. Available in 60 cm | 80 cm



C.N.	PRODUCT NAME	SIZE
KDR60-M	Kibble Dustie Microfiber 60	60 cm
KDR80-M	Kibble Dustie Microfiber 80	80 cm

Limited Launderability
Upto 90 Launderings

DURABLE CONSTRUCTION | 360° SWIVEL MOVEMENT | EASY MOP REPLACEMENT | LIGHTWEIGHT & EASY TO HANDLE | UPTO 90 LAUNDERINGS

WET MOPPING SYSTEM



KENTUCKY HOLDERS

Conventional design kentucky holders for attaching kentucky style mops for wet mopping with 6 inches strong hanger and clip to hold wet mops

MAKE IN INDIA

C.N.	PRODUCT NAME	MATERIAL
KWF01	Kibble Kentucky Holders	Polypropylene

KENTUCKY MOP COTTON NATURAL

Non bleached kentucky cotton mop with small band. 100% cotton with tightly twisted ply to help reduce linting. Good absorbency & strength



MAKE IN INDIA

C.N.	PRODUCT NAME	WEIGHT	MATERIAL
KWRCN40	Kibble Kent Cotton Natural 400	400 gms	Cotton

KENTUCKY MOP COTTON SPECIAL

Colored cotton mops with tightly twisted ply with large band. 100% cotton mop with good absorbency & strength. Loop closed to reduce fraying



MAKE IN INDIA

C.N.	PRODUCT NAME	WEIGHT	MATERIAL
KWRC535	Kibble Kent Cotton Special 350	350 gms	Cotton

KENTUCKY MOP COTTON PREMIUM

Premium kentucky cotton mop with small band. 80% cotton + 20% polyester with tightly twisted ply to help reduce linting. Good absorbency & strength



C.N.	PRODUCT NAME	WEIGHT	MATERIAL
KWRCP45	Kibble Kent Cotton Premium	450 gms	Cotton

KENTUCKY MOP MICROFIBER

Kentucky microfiber mop with medium band. 80% polyester + 20% polyamide with tuber type microfiber fringes. Excellent absorbency & strength



C.N.	PRODUCT NAME	WEIGHT	MATERIAL
KWRM31	Kibble Kent Microfiber	310 gms	Microfiber

HIGH ABSORBENCY | STRONG & DURABLE | TIGHTLY TWISTED PLY | EASY TO WASH & MAINTAIN | LONG LASTING PERFORMANCE

IMPORTANT PRODUCTS



SIGNBOARDS

Signages are two feet sign boards with a variety of captions available. Two sided, bright yellow plastic sign boards can be read from far away are ideal for narrow spaces & doorways



Sturdy signages comes with built-in carry handle which makes it easy to move & carry, folds flat for easy storage & transportation in carts.

Please refer to the price list for captions

C.N.	PRODUCT NAME	SIZE	MATERIAL
Refer Price List	Kibble Signage	2 Feet	Polypropylene

CADDIES

A hand held caddie to hold tools, cleaning, medical, art supplies. Made with heavy duty polypropylene polymer for lasting durability with comfortable handle with a soft grip underneath for carrying. Simple, versatile & rugged design with deep oversized pockets with three partitions for carrying multiple products together.







design patented



C.N.	PRODUCT NAME	SIZE	MATERIAL
KCB01	Kibble Caddie	40 x 28 x 12 cm	Polypropylene

DURABLE & LONG LASTING | LIGHTWEIGHT & EASY TO CARRY | HIGH QUALITY POLYPROPYLENE | EASY TO CLEAN & MAINTAIN | IDEAL FOR MULTIPLE APPLICATIONS

BROOMS AND BRUSHES



Outdoor Broom

Angular design for perfect angle of contact for soft brooming action. 45 cm strong structure foam heavy block with large bristles. Perfectly suitable for brooming of parking lots & large sweeping areas

Supported handle - alumax ecoline | alumax super

MAKE IN INDIA

C.N.	PRODUCT NAME	SIZE	BRISTLE
KSOB45	Kibble Outdoor Broom	45 cm	PET

Sweepie 45

Sweepie 45 designed for sweeping as well as scrubbing of floors, combined of fine & hard bristles. Outside bristles are soft & finer for collecting tiny dust & inside bristles are hard for collecting larger dust.

Supported handle - alumax super

MAKE IN INDIA

C.N.	PRODUCT NAME	SIZE	BRISTLE
KSB45	Kibble Sweepie 45	45 cm	PET





Mr. Tall (Broom 30)

Broom with densely placed soft bristles for superior cleaning & long lasting effect. Specially designed bristles for soft sweeping and daily cleaning

Supported handle - SS handle

MAKE IN INDIA

C.N.	PRODUCT NAME	SIZE	BRISTLE
KBR30	Kibble Mr.Tall	30 cm	PET

EFFECTIVE CLEANING | DURABLE CONSTRUCTION | COMPATIBLE HANDLES | LIGHTWEIGHT & EASY TO USE | PREMIUM QUALITY

SIBIT
— CLEANING MACHINES —
www.sibit.in

HYGIENE THAT SPEAKS QUALITY

COMPLETE WASHROOM HYGIENE SOLUTIONS

- SUPERIOR HYGIENE
- DURABLE & RELIABLE
- EASY TO USE & MAINTAIN
- MODERN DESIGN & EFFICIENT



CLEANER SPACES. HEALTHIER PLACES.

Our washroom hygiene solutions are designed to deliver maximum **cleanliness**, **convenience** and **care**. Built for high performance and everyday reliability.

OUR RANGE

PAPER DISPENSER



Hygienic & smooth paper dispensing for every washroom.

SOAP DISPENSER



Reliable & efficient dispensing for better hand hygiene.

AEROSOL DISPENSER



Automatic fragrance control for a fresh environment.

SCENT DISPENSER



Consistent fragrance for a pleasant washroom experience.

URINAL SANITIZER DISPENSER



Hygienic sanitation for cleaner & odor-free urinals.

HOUSEKEEPING TROLLEYS



MULTIPURPOSE CART WITH WRINGER

- Sturdy & durable construction
- Multiple compartments for organized storage
- Equipped with wringer for efficient mopping
- Smooth mobility with 4 swivel castors



JANITOR CART

- Robust & corrosion resistant
- Spacious shelves for essential items
- Large waste bag for easy collection
- Easy to maneuver & maintain



GUEST ROOM SERVICE CART

- Elegant & compact design
- Lockable cabinet for secure storage
- Dual laundry bags for segregation
- Smooth rolling for silent operation



X SHAPE LAUNDRY CART

- X-shape foldable frame
- Large capacity laundry bag
- Sturdy & lightweight construction
- Easy to fold, store & transport



BELLMAN TROLLEY

- Premium gold finish for elegant look
- Strong & durable steel frame
- Carpeted base to protect luggage
- Smooth movement with heavy duty castors

DURABLE CONSTRUCTION | LARGE CAPACITY | SMOOTH MOBILITY | EASY TO CLEAN & MAINTAIN | EFFICIENT WASTE MANAGEMENT

GENERAL DUSTBINS

Features :

- Dustbin Made of LLDPE.
- Frame made of 30mm & 18gz pipe.
- Epoxy Power Coated.
- Heavy Duty.
- Op ons available in Singe & Double Dustbins.
- Customised Designs can be made on MOQ.
- Highly Durable.
- Ease in Emptying.





Features :

- Dustbin Made of LLDPE.
- Frame made of 30mm & 18gz pipe.
- Epoxy Power Coated.
- Heavy Duty.
- Op ons available in Singe & Double Dustbins.
- Customised Designs can be made on MOQ.
- Highly Durable.
- Ease in Emptying.

Model No.	Volume each Bucket	Length	Dimensions	
			Width	Height
GR 763	80 Liters	410 mm	410 mm	915 mm
GR 764 FT	110 Liters	530 mm	530 mm	915 mm

WHEELED BIN PLASTIC



Features : Made of HDPE Injec on Molded Heavy Duty Confirms EN 840 Standard

Colour : Red, Yellow, Blue, Black, Green
*colors are subject to availability

Model No.	Volume	Dimensions		
		Depth	Width	Height
GR 721	120 Liters	550 mm	480 mm	940 mm
GR 723	240 Liters	730 mm	580 mm	1000 mm

Features : Made of HDPE Injec on Molded Solid Rubber Wheels with Brake Good for outside use Confirms EN 840 Standard

Colour : Green

Model No.	Volume	Dimensions		
		Depth	Width	Height
GR 724	660 Liters	775 mm	1175 mm	1310 mm
GR 725	1100 Liters	1073 mm	1373 mm	1354 mm

4 WHEELED DUSTBINS PLASTIC



STAND ALONE BIN PLASTIC



Features :

- Made of LLDPE.
- Customized Graphics On Additional Cost.
- Mul language Prin ng.
- Available in Various Sizes.
- UV Treated.
- Suitable for Indoor & Outdoor Use.
- Heavy Durable.

Colour : Red, Yellow, Blue, Black, Green
Customised Colour can be made on MOQ

Model No.	Volume each Bucket	Length	Dimensions	
			Width	Height
GR 763	80 Liters	410 mm	410 mm	915 mm
GR 764	110 Liters	530 mm	530 mm	915 mm

HEAVY DUTY CONSTRUCTION | UV STABILIZED & WEATHER RESISTANT | EASY TO USE & MAINTAIN | CUSTOMISED DESIGNS ON MOQ | CONFORMS TO EN 840 STANDARD

DRY MOTORS



220V AC - 1000W | 220V AC - 1000W | 220V AC - 1000W

WET & DRY MOTORS



220V AC - 1000W | 220V AC - 1000W | 220V AC - 1000W

SCRUBBER MOTORS



220V AC - 1200W | 220V AC - 750W | 24V DC - 550W | 220V AC - 1000W 24V DC - 500W

VACUUM SPARES



FT-15


① Floor Nozzle ② Brush Nozzle ③ Suction Hose
④ Crevice Tool ⑤ Round Brush ⑥ Extension Tube
⑦ Metal Wand ⑧ Squeegee Tool ⑨ Connector



HL-30 / 60 / 80

① Floor Nozzle ② Crevice Tool ③ Suction Hose
④ Round Brush ⑤ Connector ⑥ Extension Tube
⑦ Curved Wand ⑧ Squeegee Tool

VACUUM & SCRUBBER MACHINE SPARES



Carbon Brush | Wheel | Suction Hose Pipe | Dust Filter | On/Off Switch | Operating Handle | Brush Holder | Gas Spring



Hepa Filter | Steel Tube | Dry Tool | Wet Tool | Water Ball Valve | Drain Hose | Suction Hose | Standard Squeeze



Crevice Tool | Vacuum Clamp | Round Brush | Sofa Tool | Oil Resistant Squeeze | Solenoid Valve | Hard Brush | Soft Brush



Transparent Sofa Tool | Carpet Sucker | Water Pump 220V | Pad Driver | Scrubber Pads | Water Filter

HIGH PERFORMANCE | DURABLE & LONG LASTING | PREMIUM QUALITY | EASY TO INSTALL & MAINTAIN | COMPATIBLE WITH ALL MODELS

OUR PRESTIGIOUS CLIENTS

- NTPC Limited
- Coal India Limited
- Indian Railways
- IndianOil
- Shri Mata Vaishno Devi Shrine Board, Katra
- Delhi Metro Rail Corporation Limited
- Hindustan Copper Limited
- GAIL (India) Limited
- UPSTEP Academy
- Anant National University
- RVG
- Western Coalfields Limited
- Mazagon Dock Limited
- Goa Shipyard Limited
- Power Grid Corporation of India Limited
- Goa Shipyard Limited
- Spandan Holiday Homes
- Oxford Golf Resort
- Paramount Resort
- Hilton Hotels & Resorts
- Plutone
- East Point
- Lodha
- Runwal
- URC
- Listenlights
- Ashar
- Rinac India Limited
- Dr. D. Y. Patil Vidyapeeth, Pune
- Wheels India Limited
- Cars24
- Gensol
- Kothari Group
- Hyoseong Electric Co., Ltd.
- Sirpur Paper Mills Ltd.
- APAR
- Coal India Limited
- Cochin Shipyard Limited
- Container Corporation Of India Ltd
- Rolliflex Engineered Cables
- Heritage
- Cotton Corporation of India Limited
- Council Of State Industrial Development & Investment Corporations Of India
- Damodar Valley Corporation
- Ambuja Cement Foundation
- Reliance Retail
- Dedicated Freight Corridor Corporation of India Limited
- Delhi Metro Rail Corporation Limited
- Dredging Corporation of India

GeM
Government
e Marketplace

Procurement Reimagined

Efficient • Transparent • Inclusive

OUR PRESENCE ACROSS INDIA

Strategically located warehouse and delivery centres to ensure fast, reliable and efficient service across the country.

SKYE
BEYOND BOUNDARIES

SKYE IMPEX PVT LTD

ISO 9001:2015 CERTIFIED COMPANY

Products and Services Available

PAN INDIA

OUR LOCATIONS

PUNE, MAHARASHTRA
WAREHOUSE

Singh Warehouse, Behind Gagan Auto,
Pune- 412207

sales@sibit.in

DELHI, INDIA
DELIVERY CENTRE

D-64 Ground Floor, Okhla
Industrial Area Phase-1
New Delhi

www.sibit.in



SCAN TO VISIT

COMPLETE RANGE OF CLEANING SOLUTIONS



RIDE ON SCRUBBER DRYERS



WALK BEHIND SCRUBBER DRYERS



RIDE ON SWEEPERS



VACUUM CLEANERS



HIGH PRESSURE WASHERS



SINGLE DISC MACHINES

PREMIUM QUALITY
Built for superior performance

RELIABLE PERFORMANCE
Consistent results you can trust

DEDICATED SUPPORT
Expert assistance whenever you need

SPARE PARTS AVAILABLE
Genuine parts for longer life